

# INDIAN JOURNAL OF WEED SCIENCE

Vol. 42, No. 3 & 4

July-December, 2010

## CONTENTS

Title	Page
Integrated Weed Management in India–Revisited – <i>A. N. Rao and A. Nagamani</i>	123-135
Impact of Aryloxyphenoxypropionate Herbicides on <i>Phalaris minor</i> in Haryana – <i>Rupa S. Dhawan, P. Bhasker, S. Chawla, S. S. Punia, Samunder Singh and R. Angrish</i>	136-143
Interaction of Stage of Application and Herbicides on Some <i>Phalaris minor</i> Populations – <i>Samunder Singh, Ashok Yadav, S. S. Punia, R. S. Malik and R. S. Balyan</i>	144-154
Performance of Carfentrazone-ethyl 20% + Sulfosulfuron 25% WDG – A Formulated Herbicide for Total Weed Control in Wheat – <i>U. S. Walia, Tarundeep Kaur, Shelly Nayyar and Kulbir Singh</i>	155-158
Quality Wheat Seed Production through Integrated Weed Management – <i>A. C. Pradhan and Prabir Chakraborti</i>	159-162
Rice Residue Position and Load in Conjunction with Weed Control Treatments-Interference with Growth and Development of <i>Phalaris minor</i> Retz. and Wheat ( <i>Triticum aestivum</i> L.) – <i>Amandeep Singh Brar and U. S. Walia</i>	163-167
Efficacy of Azimsulfuron Applied Alone and Tank Mixed with Metsulfuron+Chlorimuron (Almix) in Dry Direct Seeded Rice – <i>Ravi G Singh, Samar Singh, Vijay Singh and Raj K. Gupta</i>	168-172
Seedbed Manipulations for Weed Management in Wet Seeded Rice – <i>P. V. Sindhu, C. George Thomas and C. T. Abraham</i>	173-179
Growth and Yield of Aerobic Rice as Influenced by Integrated Weed Management Practices – <i>C. M. Sunil, B. G. Shekara, K. N. Kalyanamurthy and B. C. Shankaralingappa</i>	180-183
Effect of Cultural Manipulation and Weed Management Practices on Weed Dynamics and Performance of Sweet Corn ( <i>Zea mays</i> L.) – <i>N. Sunitha, P. Maheshwara Reddy and Malleswari Sathineni</i>	184-188
Chemical Control of <i>Cyperus rotundus</i> in Maize – <i>Surjit Singh, U. S. Walia, Rupinder Kaur and Lovreet Singh Shergill</i>	189-192
Evaluation of Tank-mix Combinations of Different Herbicides for Control of <i>Phalaris minor</i> in Wheat – <i>Dharam Bir Yadav, S. S. Punia, Ashok Yadav and R. S. Balyan</i>	193-197
Efficacy of Various Herbicides and Determination of their Persistence through Bioassay Technique for Garlic ( <i>Allium sativum</i> ) – <i>B. B. Ramani and V. D. Khanpara</i>	198-202

Factors Affecting Seed Germination of <i>Convolvulus arvensis</i> and <i>Lathyrus aphaca</i> – <i>Archana Kumari, Kuldeep Singh, Anil Yadav and Samunder Singh</i>	203-211
Effect of Planting Pattern and Weed Management on Weed Flora and Yield of <b>Rabi</b> Sunflower – <i>V. Sumathi, D. Subramanyam, D. S. Koteswara Rao and D. S. Reddy</i>	212-216
Effect of Herbicides on Soil Microorganisms – <i>P. C. Latha and H. Gopal</i>	217-222
<b>SHORT COMMUNICATIONS</b>	
Effect of Rice Herbicides on $\beta$ -glucosidase, Protease and Alkaline Phosphatase Activity in Soil – <i>P. C. Latha and H. Gopal</i>	223-225
Growth and Yield of Transplanted Rice ( <i>Oryza sativa</i> ) as Influenced by Sequential Application of Herbicides – <i>Y. Deepthi Kiran, D. Subramanyam and V. Sumathi</i>	226-228
Performance of Pre- and Post-emergence Herbicides on Weed Flora and Yield of Transplanted Rice ( <i>Oryza sativa</i> ) – <i>Y. Deepthi Kiran and D. Subramanyam</i>	229-231
Effect of Weed Management and Sulphur Nutrition on Productivity of Soybean [ <i>Glycine max</i> (L.) Merrill] – <i>S. C. Dhaker, S. L. Mundra and V. Nepalia</i>	232-234
Weed Management in Groundnut ( <i>Arachis hypogaea</i> L.) under Varying Crop Geometry – <i>P. C. Chandolia, R. C. Dadheech, N. S. Solanki and S. L. Mundra</i>	235-237
Influence of Integrated Weed Management Practices on Weed Dynamics and Yield of Baby Corn in Southern Agro-climatic Zone of Andhra Pradesh – <i>K. Mahadevaiah, G. Karuna Sagar and V. Sumathi</i>	238-240
Effect of Row Spacing and Weed Management Practices on Weeds, Growth and Yield of Pigeonpea [ <i>Cajanus cajan</i> (L.) Millsp.] – <i>Guriqbal Singh, Navneet Aggarwal and Hari Ram</i>	241-243
Studies on the Germination and Viability of <i>Parthenium hysterophorus</i> L. in its Compost – <i>B. R. Maurya and P. K. Sharma</i>	244-245
Chemical Control of Water Hyacinth ( <i>Eichhornia crassipes</i> ) in Natural Water Bodies – <i>Dharam Bir Yadav and Ashok Yadav</i>	246-248

---

## Cover Photos

Top Left : Chlorotoluron 2.0, 1.5 and 1.0 kg/ha (L-R) and isoproturon 2.0, 1.5 and 1.0 kg/ha, respectively, on K-15 population of *Phalaris minor* when applied at the 4 leaf stage (bottom pots) and tillering stage (top rows), 10 DAT. Top Right : Uncontrolled *P. minor* at farmer's field under wheat-rice rotation areas in Karnal, Haryana. Bottom Left : Clodinafop-propargyl resistant population of *P. minor* at farmer's field in Kaithal district, and Bottom Right : Weed free wheat under sequential application of herbicides at farmer's field in Kurukshetra district of Haryana, India. For more information, read articles on pages 136-143, 144-154, 155-158 and 193-197. All photos courtesy Dr. Samunder Singh, Department of Agronomy, CCS Haryana Agricultural University, Hisar-125 004, India.